

## Installation Instruction


### Notice:

- 1.To avoid possibility of electrical shock or fire, the installation personnel must have professional electric knowledg.
- 2.Please wear gloves to avoid injury before installation.
3. If any smoke or spark of the wire happened, please turn off the power immediately and notify relevant personnel.
4. Caution: Avoid overloading the adapter by not exceeding the maximum recommended load. Consider cable loss and use the appropriate wire gauge during installation to prevent decreased performance, overheating, and potential safety issues. Please ensure these factors are carefully taken into account for the efficient and safe operation of your landscape lighting system.  
For example, if the adapter has a power rating of 88 watts, aim for a power draw of around 80 watts with a 10% safety margin. Each light consumes 8 watts, allowing for a maximum of 10 lights to be powered. It is advisable to use cables shorter than 10 meters to minimize losses.

### Special functions instruction:

#### 1.Color temperature adjustable

- 1.The color temperature of the lamp turns to 3000K when the button is set to 3K.
- 2.The color temperature of the lamp turns to 4000K when the button is set to 4K.
- 3.The color temperature of the lamp turns to 5000K when the button is set to 5K.



### Attention :

1. Please check if there is any damage during shipping. If so , please contact manufacturer timely.
- 2.Please read the installation instruction carefully to check whether all the accessories are complete.After confirmation,then install the fixture according to installation steps.

### Warning

MIN 75 C SUPPLY CONDUCTORS

THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.

## Installation Steps

<p><b>1</b></p> <p>OFF</p>	<p><b>2</b></p> <p>X1 X1 X1 X1 X2 X2 X1 X1</p>
<p><b>3</b></p>	<p><b>4</b></p> <p>Fix the bracket to the wall</p>
<p><b>5</b></p> <p>Secure the lamp body and screws to the bracket in sequence</p>	<p><b>6</b></p> <p>Connect the power line, AC/DC12V input, regardless of positive or negative</p>
<p><b>7</b></p> <p>ON</p> <p>Turn on the power</p>	