

ASSEMBLY INSTRUCTIONS



◆ Inspect the wire insulation for any cuts, abrasions, or exposed copper that may have resulted during shipping. If there is a defect in the wire, do not attempt installation.

◆ Before starting installation of this fixture or removal of a previous fixture, disconnect the power by turning off the circuit breaker or by removing the fuse at the fuse box.

If you need further assistance, please contact us by Email: customersupport@superiordecorinc.com

TOOLS REQUIRED



Ladder



Safety glasses



Electrical tape



Phillips screwdriver



Flat blade screwdriver




Pliers




Wire strippers

* PARTS SHOWN MAY DIFFER SLIGHTLY PER LIGHT FIXTURE


HARDWARE INCLUDED



Decorative Component
(Hex Nut , Washer , Socket Ring)




Cage



Glass Shade



Cover



Centre Pillar
(Screws A)



Wire Nuts



Screws



Rubber Rings




Wrench



Electric Wire


EXPLODED PARTS



INSTALLATION



STEP 1

1. Unscrew the **screw a** from the **centre pillar**.
2. Successively install the **decorative component** into **centre pillar** and secure them with **washer** and **hex nuts**, then secure the **screw a** with **wrench**.




STEP 2

Run the **electric wire** across the **centre pillar**. Next, connect the black wire and white wire with the supplied **wire nuts**. Secure with electrical tape (not included). Then carefully tuck wires back into the **centre pillar**.




STEP 3

Install the **cover** into **centre pillar** and secure with **rubber rings** and **screws**.




STEP 4

1. Remove the socket ring from the socket.
2. Attach the glass shade and cage onto fixture using socket ring.



STEP 5

Install bulbs (not included) .



BULB BASE TYPE
Medium (E26)

ASSEMBLY INSTRUCTIONS



◆ Inspect the wire insulation for any cuts, abrasions, or exposed copper that may have resulted during shipping. If there is a defect in the wire, do not attempt installation.

◆ Before starting installation of this fixture or removal of a previous fixture, disconnect the power by turning off the circuit breaker or by removing the fuse at the fuse box.



If you need further assistance, please contact us by Email: customersupport@superiordecorinc.com

TOOLS REQUIRED



Ladder



Safety glasses



Electrical tape




Phillips screwdriver



Flat blade screwdriver



Pliers




Wire strippers

* PARTS SHOWN MAY DIFFER SLIGHTLY PER LIGHT FIXTURE


HARDWARE INCLUDED




Decorative Pillar (TOP)




Decorative Pillar (MIDDLE)




Decorative Pillar (BOTTOM)



Fastenings



A Tripod



screws (Thick)



Iron Hook




Big Cap Nuts




Hex Nuts B

EXPLODED PARTS(OPTION 1)



EXPLODED PARTS(OPTION 2)




INSTALLATION

STEP 1


Install **iron hook** into the **a tripod** with the **hex nuts B** then embed the component in the ground level with concrete.

Note: the threaded nipple must protrude outward 1 5/8" (41mm).




STEP 2(OPTION 1)

Pass through the **electric wire (not included)** into **fastenings**, **decorative pillar(top)** and **decorative pillar(middle)**. Secure the **fastenings** into **post light(not included)** with the **mounting screws(not included)**, then secure the **decorative pillar(top)** into **fastenings**, secure the **decorative pillar (middle)** into **decorative pillar(bottom)**.




STEP 3

Pass through the **electric wire** into **decorative pillar(bottom)**, attach the **decorative pillar (bottom)** onto **decorative pillar (middle)** using **screws(thick)**.




STEP 2(OPTION 2)

Pass through the **electric wire (not included)** into **decorative pillar(top)** and **decorative pillar(middle)**. Secure the **decorative pillar(top)** into **center pillar (not included)**, then secure the **decorative pillar (middle)** into **decorative pillar(bottom)**.



STEP 11

Connect the live wire, neutral wire and ground wire with the supplied **wire nuts**. Secure with electrical tape(not included).



STEP 12

Attach the **decorative pillar to(bottom)** to the **iron hook** through screw holes, and secure it with **big cap nuts**.

